

# Susi R Puspitadewi

*by Radja Erland Hamzah*

---

**Submission date:** 04-Dec-2023 09:07AM (UTC+0700)

**Submission ID:** 2191980212

**File name:** 30-2041-PB.pdf (318.02K)

**Word count:** 4728

**Character count:** 26000

12

## The Relation of Follicle Stimulating Hormone and Estrogen to Mandibular Alveolar Bone Resorption in Postmenopausal Women

Susi R Puspitadewi<sup>1</sup>, Pitu wulandari<sup>1</sup>, Sri Lelyati C Masulili<sup>2</sup>, Elza I Auerkan<sup>3</sup>,  
Hanna Bachtiar Iskandar<sup>4</sup>, Izzet Yavuz<sup>5</sup>, Lindawati S Kusdhany<sup>6\*</sup>

9

1. Postgraduate Program, Faculty of Dentistry, Universitas Indonesia, Jakarta, Indonesia.
2. Department of Periodontics, Faculty of Dentistry, Universitas Indonesia, Jakarta, Indonesia.
3. Department of Oral Biology, Faculty of Dentistry, Universitas Indonesia, Indonesia.
4. Department of Radiology, Faculty of Dentistry Universitas Indonesia, Jakarta, Indonesia.
5. Department of Pedodontics, Faculty of Dentistry, Dicle University, Turkey.
6. Department of Prosthodontics, Faculty of Dentistry, Universitas Indonesia, Jakarta, Indonesia.

### Abstract

6 Osteoporosis is one of the degenerative disorders characterized by the bone mass reduction due to an imbalance between bone resorption and formation. Osteoporosis is common in postmenopausal women. Increased FSH (Follicle Stimulating Hormone) hormones and increased estrogen levels occur post menopause, leading to the increased bone resorption rate. The aim of this study is to analyze the relation of FSH and Estrogen hormone to the mandibular alveolar bone resorption in postmenopausal women. Seventy postmenopausal women aged 48 -87 years in Kenari sub-district, Central Jakarta between February – May 2017 participated in this study. After obtaining the research approval from the ethics commission and informed consent from the subjects, the participants then filled out a validated questionnaire, and a clinical examination was performed. The periapical radiography was taken by referral to the Department of Radiology Universitas Indonesia to assess the radiographic bone resorption rate. Blood samples were taken to assess the FSH and Estradiol levels by ELIS<sup>66</sup> examination technique. The result of this study showed that bone density correlated with age ( $p=0.01$ ) and estrogen ( $p=0.02$ ) but there was no correlation with bone resorption and FSH ( $p>0.05$ ).

6 The conclusion of this study, there was a significant association between age and estrogen to the bone density of postmenopausal women. However, no association was found between FSH and bone resorption to the bone density of postmenopausal women.

Clinical article (J Int Dent Med Res 2017; 10(3): pp. 938-944)

Keywords: Osteoporosis, FSH levels, Estrogen levels, Alveolar bone resorption.

Received date: 26 September 2017

Accept date: 25 October 2017

### Introduction

Along with the improvement of the welfare condition, it is predicted that by 2025, the number of elderly in Indonesia will increase, amounting to 36 million people.<sup>1</sup> Based on the 2010 population census, the number of elderly amounted to 18.1 million people or 7.6 percent of the population. In 2014, this number reached more than 18.78 million people.<sup>2</sup> Currently, the number of elderly (senior citizens) in Indonesia is ranked the third largest in the world. The huge number from this

category would increase the risk probability in the case of osteoporosis. According to WHO (World Health Organization) data, a greater number of bone fractures occurred in women with osteoporosis due to the group itself represents nearly 50% of the total population at risk.<sup>3</sup>

Postmenopausal phase is a period that occurs after the last menstrual cycle within one year after menopause.<sup>4</sup> This postmenopausal phase is accompanied by a decrease in ovarian estrogen secretion caused by depletion of oocytes and their follicles due to atresia.<sup>5</sup> Postmenopausal conditions are considered as a cause of increased bone resorption in elderly women<sup>6</sup>. This is due to the estrogen hormone deficiency, and increased follicle stimulating hormone (FSH) levels up to 10 - 20 times in the blood circulation and is estimated to increase<sup>67</sup> the risk of osteoporosis up to three times.<sup>7</sup> The

\*Corresponding author:

Lindawati S Kusdhany  
Department of Prosthodontics, Faculty of Dentistry,  
Universitas Indonesia.  
E-mail: lindaskusdhany@gmail.com

34

Volume · 10 · Number · 3 · 2017

Page 938

presence of osteoporosis in postmenopausal women is thought to be able to exacerbate the occurrence of alveolar bone resorption.<sup>8</sup> The results of the study done by Kusdhany suggest that there is a correlation between mandibular bone density with lumbar and femur bone density in postmenopausal women.<sup>9</sup> However, the association of alveolar bone resorption with osteoporosis in postmenopausal women remains unclear.

When the alveolar bone loss occurs, the residual ridge experienced size and shape deformity.<sup>10</sup> The resorption pattern of the remaining bone is affected by various local and systemic factors such as patient age, traumatic damage, pathological condition differences, mineral metabolic abnormalities, osteoporosis, and hormonal imbalances.<sup>11</sup> The presence of alveolar bone resorption characterizes the overall pattern of alveolar bone loss and can be used as a reference in the manufacture of removable denture or implants as rehabilitation treatments to replace extracted teeth that may affect the success of the prosthodontics treatment.

Osteoporosis is characterized by a low bone mineral density and structural changes in bone tissue, causing an increased risk of bone fracture. Osteoporosis is the 4<sup>th</sup> most prevalent bone disorder worldwide, affecting one in three women and one in eight men over the age of 60 years and is a progressive systemic disease as a result of an imbalance between bone formation and bone resorption.<sup>11-13</sup> The relationship between osteoporosis, oral signs, body mass index, and age are used as parameters of postmenopausal osteoporosis indicator. The mandibular periapical radiographs are used to evaluate the level of alveolar bone resorption.<sup>14</sup>

Hormones are chemical messengers released into the circulatory system that will affect the organs that exist throughout the body. The hypothalamus will control menstruation by secreting the gonadotropin hormone to the pituitary gland.<sup>15</sup> Specifically, during the reproductive period, the pituitary gland will respond by producing two hormones, namely follicle stimulating hormone (FSH) and leutinizing hormone (LH). These hormones will determine the amount of estrogen and progesterone produced by the ovaries.<sup>16</sup>

During the menopausal and postmenopausal period, an increase in FSH levels above 30 IU/ml and a decrease in

estrogen levels less than 40 pg/ml will occur.<sup>17</sup> Estrogen binds to estrogen receptors in osteoblasts that directly modulate the osteoblastic activity and indirectly regulate the osteoclast formation which aims to inhibit the bone reabsorption. Thus, when the estrogen levels decreased then nothing can inhibit the bone resorption process.<sup>17-20</sup>

The estrogen hormone plays an important role in the basic regulation of bone remodeling and therapeutic in women.<sup>21</sup> Decreased estrogen will decrease the osteoclastic matrix production, increased trabecular bone formation, and stimulating the bone resorption process and also increasing the bone turnover. However, Manolagas reported that estrogen hormone could decrease the apoptosis process of osteoblast cells to prolong the life, making this as the control mechanism of estrogen in the process of bone formation.<sup>22</sup> Chen et al. also reported that the estrogen hormone affects the apoptosis of osteoblasts and osteoclasts through the mechanism of phosphorylation.<sup>23</sup> Hughes et al. proves that estrogen could also induce apoptosis and osteoclast cells death, confirming that it can directly decrease the resorption activity.<sup>24</sup>

The occurrence of alveolar bone resorption in osteoporosis women remains controversial among some researchers in the context of assessing the association between the severity of alveolar bone resorption with the hormone levels of FSH and estrogen. The aim of this study is to analyze the association of FSH and estrogen hormones to the resorption process of the mandibular alveolar bone in patients with postmenopausal osteoporosis.<sup>25,26</sup>

## Materials and methods

This is a cross-sectional study with 70 subjects of postmenopausal women with range of age from 48-87 years. Subjects with a history of bone disease, metabolic or endocrine disorders such as hyperthyroidism and hyperparathyroidism, diabetes mellitus, kidney disease, liver disease, and taking medications known to affect bone metabolism (e.g., corticosteroids, anticonvulsants, and sodium heparin) are excluded.

Subjects were interviewed using a validated questionnaire, containing demographic information including past and present medical history. The standard questionnaires include demographics, body mass index (BMI), the age

of initial menopause, the age of menarche, and also age and history of menopause. Written informed consent is collected from the subject before participation in the study<sup>50</sup> and along with that, this study has also been approved by the ethics committee of the Faculty of Dentistry Universitas Indonesia.

Bone loss seen on the radiograph<sup>51</sup> was measured by drawing a tangent line from the cementoenamel junction (CEJ) of the distal part of 36 tooth and mesial part of 46 teeth to the base of bone loss characterized by intact lamina dura, the<sup>52</sup> the distance was calculated (in mm) relative to the alveolar bone crest using a caliper.

Evaluation of the trabeculation density, quality density on the periapical radiograph includes the radiographic density region of interest (ROI) mandibular cortex, graded with 5x magnification. ROI is a square made of the mesial & distal interdental of 36 and 46 teeth about 1 mm from the alveolar crest and then formed a square of  $\pm 3$  mm<sup>2</sup>. Measurements are done based on results from Modified Taguchi (1997)<sup>27</sup>; Grade 1: trabeculation is not visible, Grade 2: bone trabeculation looks thin and amount only a few, Grade 3: trabeculation visible as normal bone, Grade 4: thick trabeculation almost enveloping the bone marrow, and Grade 5: solid bone, not visible.

Body mass index is measured as a ration between weight (in kilograms) and height (in squared meters). Levels of Estradiol and FSH were determined by obtaining 5 ml<sup>43</sup> venous blood samples from every participant. The blood samples were<sup>43</sup> centrifuged at 3000 revolutions per minute (rpm) for 10 min at 18°C, and the serum was frozen<sup>75</sup> at -20°C. The plasmic estradiol level (pg/ml) was measured by enzyme-linked immunosorbent assay (ELISA) (Abbott AXsym System 34-3205/R6). Statistical analyzes used included Kolmogorov-Smirnov test for data normality, and<sup>19</sup> Spearman's tests for bivariate analysis. Blood samples were collected and immediately transferred to a non-heparin tube for centrifugation. The collected serum is then transferred to a pre-labeled plain tube, stored in an ice box and finally sent to the integrated laboratory of Faculty of Medicine Universitas Indonesia, for an immediate storage at -20°C.

## Results

The study included seventy participants, 58 aged 48-87 with average age  $59.49 \pm 7.74$  years. None of the women had a history of taking medication for osteoporosis therapy. All of them also has not undergone any ovariectomy procedure or any experience of wearing a denture. All subjects came from the Kenari district of<sup>64</sup> Central Jakarta. The distribution of variables can be seen in table 1.

Variable (n=70)	Mean $\pm$ SD	Min-Max
Age (Year)	$59.49 \pm 7.74$	48-87
Estrogen (pg/ml)	$21.88 \pm 42.26$	19.00-47.30
Follicle Stimulating Hormone (IU/ml)	$100.42 \pm 38.02$	33.30-200
Bone Density (mmAL/Eq)	$70.47 \pm 11.20$	44.23-106.27
Bone Resorption (mm)	$4.31 \pm 1.50$	1.29-8.20

Table 1. The Distribution of Variables observed.

The highest level of estrogen hormone is 47,30 pg/ml and the lowest is 19,00 pg/ml. Follicle stimulating hormone level showed that 200 IU/ml is the highest value in this subject. The minimum bone density is 44,23 and the maximum is 106,27. The bone resorption range is 1,29 mm until 8,20 mm. The correlation between bone density, bone resorption and several others factors could be seen in table 2.

Bone Density (n=70)	p	Correlation Coefficient
Age	.01*	-.41
Estrogen	.02*	-.27
Follicle Stimulating Hormone	.15	-.17
Bone Resorption	.31	-.12

Spearman's test; \*p < .05 is significant.

Table 2. Correlation Between Bone Density and Age, Estrogen, FSH and Bone Resorption.

The Spearman's test revealed<sup>52</sup> there is a significant correlation between bone density and age (p<.05). The magnitude of the correlation is a moderate negative correlation (-.41). Bone density and estrogen shows the significant correlation (p<.05) and the value is a weak negative correlation (-.27). But there is no significant correlation between bone density and follicle stimulating hormone (p>.05) and between bone density and bone resorption. (p>.05).

## Discussion

Osteoporosis occurs in elderly individuals, caused by cessation of ovarian activity. Osteoporosis is an absolute reduction in the quantity of bone or can be simply described as skeletal tissue atrophy. Postmenopausal bone loss is a major determinant of osteoporosis. In the postmenopausal period, the ovaries no longer produce sex hormones, especially estrogen, due to ovarian fatigue, in which decreased estrogen levels lead to increased levels of follicle stimulating hormone produced by the pituitary gland that affects the ovaries in producing estrogen.<sup>28</sup>

In this study, the minimum age of subjects was 48 years old, whereas the maximum age was 87 years old. The numbers obtained in this study are following one research done by Mahmoud.<sup>29</sup> This study shows that there is a significant relationship between bone density and age. This results matched with the opinion of several researchers who stated that age would affect individual bone density. Along with increasing age, the bone mass will also decrease. Increased bone loss occurs with age, especially in elderly.<sup>30</sup> However, Sladina, A. et al. stated that there is no association between age and tooth loss despite age is a risk factor for decreased bone mass in osteoporosis, and is not a causative factor, so it must be distinguished from the physiological aging process.<sup>31,32</sup> However, other researchers also stated that bone mass loss might occur in the postmenopausal period at the rate of 0.5-1% of the total bone weight per year. Along with increasing age of one person, especially in postmenopausal period, the progressive bone mass loss will occur as a result of incomplete bone replacement or remineralization after resorption.<sup>32</sup>

Subjects who have a systemic history such as diabetes mellitus, a malignancy that are currently undergoing radiation therapy, previous hysterectomies, ovariectomies, or tubectomy procedure, and a history of or currently undergoing hormone replacement therapy are excluded in this study. This exclusion were made to avoid factors affecting menopause so that researcher will only examine women who underwent natural menopause.<sup>33</sup> However, it is relatively difficult to find a menopausal subject without a history of systemic disease.

Excessive mandibular alveolar ridge

resorption leads to loss of denture support tissue. This is one of the most difficult restorative problems faced by the dentists. Several studies have evaluated age-related mandibular bone changes. However, according to the opinion of Atwood and Coy, there is no correlation between the reduction rate of support of this tissues and age.<sup>34</sup> The contradictive results of these studies led to this study being conducted on the subject of postmenopausal women. This is consistent with Finkelstein JS's study which states women begin to experience bone loss during the end of perimenopause period, which persists even after menopause. In fact, half the bone loss observed in women throughout their lifetime normally occurs during the first ten years of postmenopausal.<sup>21,34,35</sup>

The cause of residual ridge resorption can be multifactorial, that is as a result of a combination of anatomical, metabolic, and mechanical factors. Some researchers have shown that osteoporosis is manifested in the mandible and is one of the major causative factors in the high rate of residual ridge resorption. The diagnosis of osteoporosis can be established by examination of the gold standard radiograph of bone density and from the results of the validated questionnaire. Some researchers suggest that the loss of spongy bone and bone trabeculae suggest an occurrence of osteoporosis. In this study, bone density examination was performed with periapical radiography. This is consistent with Park et al. study which states that bone density assessment can be done with intraoral periapical radiographic techniques.<sup>36,37</sup> However, this decrease is not expected to be interpreted by using conventional radiographs unless it was detected that over 25% to 40% of bone calcium has lost. Many researchers have stated that progressive loss of alveolar bone may indicate the manifestation of osteoporosis.<sup>38</sup>

This study was conducted on the population housewives who routinely perform regular physical activities in the form of domestic work and also regularly consume bean products such as tempe and tofu, known for its phytoestrogens content. Phytoestrogens are phytochemicals that have estrogenic activity. Regular physical activity is useful to prevent weight gain, improve body composition, and improve functional strength as well as physical activity capacity, in which it has the potential to

1 improve bone mass and reduce the risk of postmenopausal fractures.<sup>39</sup> 27

Follicle stimulating hormone (FSH) is produced by the pituitary gland that stimulates the maturation of ovarian follicles and produces estradiol during the follicular phase and progesterone during the luteal phase. Increased levels of FSH serve as a hormonal marker to diagnose climacteric syndrome (estrogen deficiency syndrome). Endocrinologically, climacteric is characterized by decreased estrogen levels and increased gonadotropin 73 secretion. This study showed no significant association between FSH and bone density in women with postmenopausal osteoporosis, elevated FSH levels due to reduced estrogen levels resulting in decreased bone density. Hormonal imbalances are common in all aging individuals, and there are other factors in the bone that cause not all aging individuals have osteoporosis.<sup>18,44</sup> The results of the present study are in line with the results of a study conducted by Drake et al, stating that the suppression of GnRH (gonadotropin releasing hormone) on the 3 secretion of FSH in postmenopausal can improve markers of bone resorption and The FSH do 27 not regulate bone resorption, that could be explained by FSH acting as a better integrated measure of ovarian estradiol production, rather than being due to a direct effect of FSH on bone remodeling.<sup>40</sup>

4 Follicle stimulating hormone is a glycoprotein hormone secreted by the pituitary gland consisting of two subunits, i.e.,  $\alpha$  and  $\beta$  non-covalent. The physiological function of FSH in women is to assist the growth of the endometrium, ovulation, and follicular development. Follicle stimulating hormone is known to be found in osteoclasts. The binding of FSH and FSH receptors will inhibit the  $\alpha$  subunits action of the G protein to activate protein signaling associated with cell proliferation that will ultimately stimulate osteoclast formation and bone resorption.<sup>28,36</sup> 8

This study has found that there is a significant relationship between estrogen levels 45 and bone density. Estrogen levels reduced in natural menopause, are well known to reduce bone mass and increase the risk of osteoporosis.<sup>41</sup> Estrogen has a significant effect on cytokine expression and growth factors by osteoblasts<sup>49</sup> and osteoclasts. Bone density is also affected by a variety of factors including the

18 spontaneous elevated levels and activity of pro-inflammatory cytokines (IL-1, IL-6, TNF- $\alpha$ ), affecting bone remodeling process and excessive bone resorption, both local and systemic, as well as skeletal loads (bone mechanical load) that gives rise to mechanical stress, strain, or resultant tissue deformation that affect the bone tissue by bone formation on the periosteal surface thus strengthening the bone and decreasing bone turnover which reduces bone resorption.<sup>26,32,33,42</sup> In postmenopausal, bone resorption increases when compared with bone apposition and ER- $\beta$  68 (estrogen receptor- $\beta$ ) expression can increase the risk of osteoporosis and fracture in elderly women.<sup>9,42</sup>

The absence of a relationship between FSH and bone density may be due to examination was done are limited to the FSH and estrogen alone, whereas some other pituitary hormones besides FSH may also play a role in bone regulation such as TSH (thyroid stimulating hormone)<sup>69</sup> and prolactin.<sup>43-45</sup>

The results of this 3 study found no significant relationship between bone density and bone resorption in osteoporosis patients. These results are different with the study by 48 copoulou-Karayianni et al. which states that osteoporotic women possess a high risk of tooth loss 48 due to high bone resorption rate compared to healthy women with the same age range.<sup>28,30</sup> The cause of the difference in outcome may be due to the lack of a number of subjects and different methods were used in measuring the alveolar bone resorption. These results also contradict the facts that were based on the results of other researchers who claim that bone mass density is expected to decrease in the third decade of life<sup>61</sup> for several years before menopause. Following the third decade of life, the rate of bone resorption will overcome the bone mass formation rate, thus accelerating the decrease in bone mineral density.<sup>18,43</sup>

## Conclusions

This study found a significant association between age and estrogen to the bone density of postmenopausal women. However, no association was found between FSH and bone resorption to the bone density of postmenopausal women.

### Acknowledgement

<sup>25</sup>  
The publication of this article is supported by Grant from Ministry of research technology and Higher Education, Indonesia.

### Declaration of Interest

<sup>51</sup>  
The authors declare that there are no conflicts of interest in this study.

### References

1. Hogervorst E, Prasetyo S, Kusdhany L, et al. Optimal Ageing, Dementia, Gender, and Socioeconomic Status. In: Ageing, Gender, Health and Productivity. Jakarta: UI-Press. 2011: 68-84.
2. WHO Regional Strategy for Healthy Ageing 2013-2018. India: WHO
- 28 WHO, Regional Office for South East Asia. 2014:33-5.
3. Jonasson G, Rythen M. Alveolar Bone Loss in Osteoporosis: a Loaded a Cellular Affair. *Clin Cosmet Investig Dent.* 2016;8: 95-103.
4. Touyz LZ. Osteoporosis and Oral Implications. *J Osteopor Phys* 2014; 2:119.
5. Maataoui A, Benghabrite A, Maghraoui AE, Chabraoui L, Ouzzif Z. Relationship between sex hormone levels, bone mineral density and bone turnover markers in healthy moroccan men: a cross-sectional study. *Pan African Medical Journal.* 2015; 22:206.
6. <sup>2</sup>baghasuren U, Jav S, Batjargal O, Batsukh M, et al. Association between osteoporosis and polymorphisms of the bone estrogen receptor 1, calcitonin receptor genes in Mongolian postmenopausal women. *Peer J Pre Prints.* 70;4:191.
7. Majumder M I, Harun M A S I. Alveolar Bone Changes in Postmenopausal Osteoporotic and Osteoporosis Women. *International Journal of Dental and Medical Specialty.* 8;15(2):9.
8. Palomo L, Williams K, Thacker H. Periodontal Healing and Osteoporosis in Postmenopausal Women. *Ann Gerontol Geriatric Res.* 2016;3(3):1043.
9. Kusdhany LS, Auerkari EI, Suryandari DA, Rahardjo TB, et al. <sup>2</sup>Estrogen Receptor  $\beta$  Gene Polymorphisms and osteoporosis risk in Postmenopausal Women in Need of Dentures. *Int J Clin Prev Dent.* 2011;7:15-8.
10. Labanca M, Binello P B. Osteoporosis and Bone Defects in Dentistry: New Drugs Options. *The Open Conference Proceedings Journal.* 2010;1:33-8.
11. Ardakani FE, Mirmohamadi SJ. Osteoporosis and Oral Bone Resorption: A Review. *J Maxillofac Oral Surg.* 2009; 8(2):121 - 5.
12. Taguchi A, Tanimoto K, Suci Y, Otani K, Wada T. Oral Signs as indicators of Possible Osteoporosis in Elderly Women. *Oral Surg, Oral Med Oral Pathol, Oral Radiol Endod.* 1995; 80(5):612-6.
13. Postic SD, Stupar NV, Rakocic Z. Systemic Osteoporosis and Reduction of the Edentulous Alveolar Ridge. *International Journal of BioMedicine.* 2013;3:201-6.
14. Kumar TA, Naeem A, Verma AK, et al. Residual ridge resorption: The unstoppable. *International Journal of Applied Research.* 2016;2(2): 169-71.
15. Jonasson G, Rythen M. Alveolar bone loss in osteoporosis: a loaded and Cellular Affair? *Clin Cosmet Investig Dent.* 1;16:8.95-103.
16. Weaver CM, Gordon CM, Janz KF, et al. The National Osteoporosis Foundation's position statement on peak bone mass development and lifestyle factors a systematics review and implementation recommendations. *Osteoporos Int.* 2016;27(4):1281-386.
17. Bandeira F, Costa AG, Filho MAS, et al. Bone markers and osteoporosis therapy. *Arg Bras Endocrinol Metab.* 2014;58(5):504-13.
18. Natasha M, Dijkstra A, Papapoulos SE. Modulating Bone Resorption and Bone Formation in Opposite Directions in the Treatment of Postmenopausal Osteoporosis. *Drugs.* 2015; 40(10):1049-58.
19. Martin RM, Correa PH. Bone Quality and Osteoporosis Therapy. *Arg Bras Endocrinol Metab.* 2010;54(2):186-99.
20. Sarajlic N, Topic B, Brkic H. Aging Quantification on Alveolar <sup>31</sup>Teeth. *Coll. Antropol.* 2009; 33(4):1165-70.
21. Finkelstein JS, Brockwell SE, Mehta V, et al. Bone mineral density changes during the menopause transition in a multiethnic cohort of women. *J Clin Endocrinol Metab.* 2008;93:861-68.
22. Indrasari M, Kusdhany L, Koesmaningati H. Resorption level of edentulous alveolar bone in normal, osteopenia and osteoporosis postmenopausal women. *Int J Clin Prev Dent.* 22;2:3:141-146.
23. Auerkari EI, Suryandari DA, Umami SS, et al. Gene Promoter Polymorphism of RUNX2 and Risk of Osteoporosis in Postmenopausal Indonesian Women. *SAGE Open Medicine.* 21;4:2: 2050312114531571.
24. Auerkari EI, Suhartono AW, Djamar NZ, et al. CRP and IL-1B Gene Polymorphisms and CRP in Blood in Periodontal Disease. *The Open Dentistry Journal.* 2013; 7: 88-93.
25. Ucer S, Iyer S, Kim HN, et al. The Effects of Aging and Sex Steroid Deficiency on the Murine Skeleton Are Independent and Mechanistically Distinct. *J Bone Miner Res.* 2017;32(3):560-74.
26. Weitzmann MN, Pacifici R. Estrogen deficiency, and bone loss: an inflammatory tale. *J Clin Invest.* 2006;116(5):1186-94.
27. Taguchi A, Tanimoto K, Akagawa Y, et al. Trabecular Bone Pattern of the Mandible. Comparison of Panoramic Radiography with Computed Tomography. *Dentomaxillofac Radiol.* 1997; 32:85-9.
28. Nicopoulou KK, Tzoutzoukos P, Mitsea A, et al. Tooth loss and Osteoporosis: The Osteodent study. *J Clin Periodontol.* 17;9:36:190-7.
29. Mahmoud AS, Abdulrahman MA, Bakheit KH. Insulin, estradiol levels and body mass index in pre- and post-menopausal women with breast cancer. *J Ir Ras.* 2015;8(4):617-20.
30. Wang J, Zhang W, Yu C, et al. Follicle-Stimulating Hormone Increases the Risk of Postmenopausal Osteoporosis by Stimulating Osteoclast Differentiation. *PLoS One.* 2015;10(8):1-30.
31. Panchbhai AS. Quantitative estimation of vertical heights of maxillary and mandibular jawbones in elderly dentate and edentulous subjects. *Spec Care Dentist.* 2013; 33(2):62-69.
32. Sladina A, Soboleva U, Dukste I, Zvaigzne A, Lejnieks A. <sup>32</sup>Postmenopausal osteoporosis and tooth loss. *Stomatologija, Baltic Dental and Maxillofacial Journal.* 2011;13(3):92-5.
33. Ozola B, Sladina A, Laurina L, et al. The influence of bone mineral density and body mass index on resorption of edentulous jaws. *Stomatologija, Baltic Dental and Maxillofacial Journal.* 2011;13: 19-24.
34. Ernawati MG, Kusdhany LS, Iskandar HB. Prediction Index of Total Blood Testosterone Level in Elderly Men. *J Int Dent Med.* 2016;9(special issue):312-16.
35. Jonasson G, Billhult A. Mandibular bone structure, bone mineral density, and clinical variables as fracture predictors: A 15-year follow-up of female patients in a dental clinic. *Oral Surg Oral <sup>33</sup>Med Oral Pathol Oral Radiol.* 2013;116(3):362-368.
36. Kanis JA, Odén A, McCloskey EV, Johansson H, Wahl DA, Cooper. A systematic review of hip fracture incidence and probability of fracture worldwide. *Osteoporos Int.* 2012;23:2239-56.
37. Eun-Jin Park, Evaluation of alveolar bone density by intraoral periapical radiography. *J Korean Acad Prosthodont.* 74;4:52:233-8.
38. J. A. Kanis, E. V. McCloskey, H. Johansson, et al, European guidance for the diagnosis and management of osteoporosis in postmenopausal women, *Osteoporos Int.* 2013; 24:23-57.

39. Pettifor JM, Prentice A, Ward K, Jones PC. The Skeletal System. In: Nutrition and Metabolism. 2nd ed. The Nutrition [13](#) jely. 2011:272-311.
40. Drake MT, McCready LK, Hoey KA, Atkinson EJ, Khosla S. Effects of suppression of follicle-stimulating hormone (FSH) secretion on bone resorption markers in postmenopausal [14](#) men. *J Clin Endocrinol Metab*. 2010;95:5063–5068.
41. Nguyen HTT, von Schoultz B, Nguyen T V., et al. Sex Hormone Levels as Determinants of Bone Mineral Density and Osteoporosis in Vietnamese Women and Men. *J Bone Miner Metab*. 2014;33(6):658-665.
42. Prado RF do. Estrogen Deficiency and Bone Remodelling. [20](#) *Int J Musculoskelet Disord*. 2014;1(1):1-2.
43. Singh OP, Kaur R, Nanda SM, Et al. Residual ridge resorption: A major oral disease entity in relation to bone density. *Indian J [49](#) Sci*. 2016;7:3-6.
44. Zhu LL, Tourkova I, Yuen T, et al. Blocking FSH action attenuates osteoclastogenesis. *Biochemical and Biophysical Research Communications*. 2012; 422:54–58.
45. Seriwatanachai D, Thongchote K, Charoenphandhu N, et al. Prolactin directly enhances bone turnover by raising osteoblast-expressed receptor activator of nuclear factor  $\kappa$ B ligand/osteoprotegerin ratio. *Bone*. 2008; 42: 535–46.

34%  
SIMILARITY INDEX

%  
INTERNET SOURCES

34%  
PUBLICATIONS

%  
STUDENT PAPERS

PRIMARY SOURCES

1	"Primer on the Metabolic Bone Diseases and Disorders of Mineral Metabolism", Wiley, 2018	2%
2	Unentsatsral Lkhagvasuren, Sarantuya Jav, Ochbadrakh Batjargal, Myagmarsuren Batsukh. "Association between osteoporosis and polymorphisms of the bone estrogen receptor 1, calcitonin receptor genes in Mongolian postmenopausal women", PeerJ, 2014	1%
3	"Biomarkers in Bone Disease", Springer Science and Business Media LLC, 2017	1%
4	Jie Wang, Wenwen Zhang, Chunxiao Yu, Xu Zhang, Haiqing Zhang, Qingbo Guan, Jiajun Zhao, Jin Xu. "Follicle-Stimulating Hormone Increases the Risk of Postmenopausal Osteoporosis by Stimulating Osteoclast Differentiation", PLOS ONE, 2015	1%

Publication

Publication

Publication

Publication

5 Sarah E. Twardowski, Jean Wactawski-Wende. "Relationship between periodontal disease, tooth loss, and osteoporosis", Elsevier BV, 2021 1 %  
Publication

---

6 "Poster presentations abstracts", Osteoporosis International, 2007 1 %  
Publication

---

7 Tsuneyuki Tsukioka, Yusuke Sasaki, Takashi Kaneda, Karen Buch, Osamu Sakai. "Assessment of Relationships Between Implant Insertion Torque and Cortical Shape of the Mandible Using Panoramic Radiography: Preliminary Study", The International Journal of Oral & Maxillofacial Implants, 2014 1 %  
Publication

---

8 E. T. Kadiroğlu, M. E. Akbalık, E. Karaöz, B. E. Kanay, A. Dağ, M. A. Ketani, E. G. Eroğlu, E. Uysal, M. C. Tuncer. "Calvarial bone defects in ovariectomised rats treated with mesenchymal stem cells and demineralised freeze-dried bone allografts", Folia Morphologica, 2020 1 %  
Publication

---

9 Y N U Damayanti, F Jazaldi, E D Handayani, A T Sarwono, L S Kusdhany, E I Auerkari. "Leptin gene (Lep) G-2548A polymorphism in patients 1 %

with and without osteoporosis", Journal of Physics: Conference Series, 2018

Publication

---

10 Joshua N. Farr, Maria Almeida. "The Spectrum of Fundamental Basic Science Discoveries Contributing to Organismal Aging", Journal of Bone and Mineral Research, 2018 1 %

Publication

---

11 Susana Cararo Confortin, Lariane Mortean Ono, Larissa Pruner Marques, Thamara Hubler Figueiró et al. "Sarcopenia, bone mineral density, and vitamin D: EpiFloripa aging study 2013/2014", Geriatrics, Gerontology and Aging, 2020 1 %

Publication

---

12 Susi R. Puspitadewi, Lindawati S. Kusdhany, Sri Lelyati C. Masulili, Pitu Wulandari, Hanna B. Iskandar, Elza I. Auerkari. "The Role of Parathyroid Hormone in Alveolar Bone Resorption on Postmenopausal Women", The Open Dentistry Journal, 2020 1 %

Publication

---

13 Dirk Vanderschueren, Michaël R. Laurent, Frank Claessens, Evelien Gielen et al. "Sex Steroid Actions in Male Bone", Endocrine Reviews, 2014 1 %

Publication

---

14

Kristina Groti Antonič. "Impact of testosterone therapy on bone turnover markers in obese males with type 2 diabetes and functional hypogonadism", *The Aging Male*, 2022

Publication

1 %

15

El Khoudary, Samar R., Rachel P. Wildman, Karen Matthews, Rebecca C. Thurston, Joyce T. Bromberger, and Kim Sutton-Tyrrell. "Progression rates of carotid intima-media thickness and adventitial diameter during the menopausal transition :", *Menopause The Journal of The North American Menopause Society*, 2013.

Publication

1 %

16

William D Leslie, Lisa M Lix, Marina S Yogendran, Suzanne N Morin, Colleen J Metge, Sumit R Majumdar. "Temporal Trends in Obesity, Osteoporosis Treatment, Bone Mineral Density, and Fracture Rates: A Population-Based Historical Cohort Study", *Journal of Bone and Mineral Research*, 2014

Publication

1 %

17

Vivien Nguyen, Juliana Chen, Reginald Lord, Veronica Preda. "The Impact of Multidisciplinary Weight Management on Body Weight and Body Mass Composition in Women with Breast Cancer Post-Adjuvant

1 %

# Chemotherapy: A Retrospective Chart Review", Oncology, 2022

Publication

---

18 "Handbook of Immunosenescence", Springer Science and Business Media LLC, 2019 1 %

Publication

19 Al-Daghri, Nasser M., Abdulaziz Al-Othman, Khalid M. Alkharfy, Majed S. Alokail, Nasiruddin Khan, Hanan A Alfawaz, Ibrahim A. Aiswaidan, and George P. Chrousos. "Assessment of selected nutrient intake and adipocytokine profile among Saudi children and adults", Endocrine Journal, 2012. 1 %

Publication

20 Rahul Suresh Jaiswal, Hema Kanathila, Anandkumar G. Patil. "A Novel Technique for the Fabrication of Hollow Denture - A Need for Resorbed Ridge", Journal of Evolution of Medical and Dental Sciences, 2021 1 %

Publication

21 Filippo Citterio, Federica Romano, Francesco Ferrarotti, Giacomo Gualini, Mario Aimetti. "Quality of methods and reporting in association studies of chronic periodontitis and SNPs: A systematic review ", Journal of Periodontal Research, 2019 1 %

Publication

---

22 Hailong Zhou, Jianmin Jiang, Xiaohua Chen, Zhiwei Zhang. "Differentially expressed genes and miRNAs in female osteoporosis patients", *Medicine*, 2022 1 %  
Publication

---

23 Marek Pawlikowski (Łódź), Tomasz Kostka, Hanna Pisarek, Agnieszka Guligowska et al. "Gonadotropins and steroid hormones in older people: their mutual connections and relations to body mass indices", *Endokrynologia Polska*, 2019 1 %  
Publication

---

24 Sung-Yoon Won, Sung-Hyun Kim, Sung-Tae Kim, Doo-Jin Paik, Wu-Chul Song, Ki-Seok Koh, Moon-Kyu Chung, Hee-Jin Kim, Kyung-Seok Hu. "Trabecular Bone Ratio of Mandible Using Micro-Computed Tomography in Korean", *Journal of Craniofacial Surgery*, 2010 1 %  
Publication

---

25 Bramma Kiswanjaya, Hanna H Bachtiar-Iskandar. "The Association Between the Severity of the Mandibular Inferior Cortex Porosity and the Number of Remaining Teeth in Elderly Indonesian People", *Research Square*, 2019 1 %  
Publication

---

26 Alessandra Julie Schuster, Anna Paula da Rosa Possebon, André Ribeiro Schinestsck, Otacílio 1 %

Luiz Chagas-Júnior et al. "Circumferential bone level and bone remodeling in the posterior mandible of edentulous mandibular overdenture wearers: influence of mandibular bone atrophy in a 3-year cohort study", Clinical Oral Investigations, 2021

Publication

---

27 Gherardo Mazziotti, Stefano Frara, Andrea Giustina. "Pituitary Diseases and Bone", Endocrine Reviews, 2018 1 %

Publication

---

28 Eha R. Astuti, Agus Z. Arifin, Rarasmaya Indraswari, Ramadhan H. Putra, Nastiti F. Ramadhani, Berty Pramatika. "Computer-Aided System of the Mandibular Cortical Bone Porosity Assessment on Digital Panoramic Radiographs", European Journal of Dentistry, 2022 <1 %

Publication

---

29 Jay Patel. "Medical problems dental students could identify part 2: Osteoporosis", BDJ Student, 2020 <1 %

Publication

---

30 Nicolette M. Parr, Nicholas V. Passalacqua, Katie Skorpinski. "Investigations Into Age-related Changes in the Human Mandible,", Journal of Forensic Sciences, 2017 <1 %

Publication

31 Yanqi Li, Pengfei Zhao, Biyun Jiang, Kangyong Liu, Lei Zhang, Haotian Wang, Yansheng Tian, Kun Li, Guoqi Liu. "Modulation of the vitamin D/vitamin D receptor system in osteoporosis pathogenesis: insights and therapeutic approaches", Journal of Orthopaedic Surgery and Research, 2023 <1 %  
Publication

---

32 Emma Megson. "EVIDENCE SYNTHESIS: Relationship between periodontal disease and osteoporosis : Periodontal disease and osteoporosis", International Journal of Evidence-Based Healthcare, 08/18/2010 <1 %  
Publication

---

33 Putri Ayu Jayusman, Nurrul Shaqinah Nasruddin, Badiyah Baharin, Nurul 'Izzah Ibrahim, Haryati Ahmad Hairi, Ahmad Nazrun Shuid. "Overview on postmenopausal osteoporosis and periodontitis: The therapeutic potential of phytoestrogens against alveolar bone loss", Frontiers in Pharmacology, 2023 <1 %  
Publication

---

34 Jian Zhong. "RAS and downstream RAF-MEK and PI3K-AKT signaling in neuronal development, function and dysfunction", Biological Chemistry, 2016 <1 %  
Publication

---

35 Luciana Munhoz, Lucas Morita, Aline Yukari Nagai, Julia Moreira, Emiko Saito Arita. **<1 %**  
"Mandibular cortical index in the screening of postmenopausal at low mineral density risk: a systematic review", Dentomaxillofacial Radiology, 2021  
Publication

---

36 D. Shen, X. Zhang, Z. Li, H. Bai, L. Chen. **<1 %**  
"Effects of omega-3 fatty acids on bone turnover markers in postmenopausal women: systematic review and meta-analysis", Climacteric, 2017  
Publication

---

37 Hogervorst, Eef, Tri Budi Rahardjo, Jelle Jolles, Carol Brayne, and Victor W Henderson. **<1 %**  
"Gender differences in verbal learning in older participants", Aging Health, 2012.  
Publication

---

38 Nihal Ersu, Rıdvan Akyol, Meryem Etöz. **<1 %**  
"Fractal properties and radiomorphometric indices of the trabecular structure of the mandible in patients using systemic glucocorticoids", Oral Radiology, 2021  
Publication

---

39 Sahar AlZain, Hana AlSheikh, Arjumand Warsy, Fatimah AlMukaynizi, Arwa AlThomali. **<1 %**  
"Mandibular residual ridge height in relation to age, gender and duration of edentulism in

a Saudi population: A clinical and radiographic study", The Saudi Dental Journal, 2019

Publication

---

40 So-Young Choi. "Effects of Sigma Anti-bonding Molecule Calcium Carbonate on bone turnover and calcium balance in ovariectomized rats", Laboratory Animal Research, 2011 <1 %

Publication

---

41 Kok-Yong Chin. "The Relationship between Follicle-stimulating Hormone and Bone Health: Alternative Explanation for Bone Loss beyond Oestrogen?", International Journal of Medical Sciences, 2018 <1 %

Publication

---

42 Pei-Wei Hsu, Yen-Wen Shen, Syamsiah Syam, Wen-Miin Liang, Trong-Neng Wu, Jui-Ting Hsu, Lih-Jyh Fuh. "Patients with periodontitis are at a higher risk of stroke: A Taiwanese cohort study", Journal of the Chinese Medical Association, 2022 <1 %

Publication

---

43 Qingqing Liang, Ming Lv, Xiaojuan Zhang, Jun Hu, Ying Wu, Yewei Huang, Xuanjun Wang, Jun Sheng. "Effect of Black Tea Extract and Thearubigins on Osteoporosis in Rats and Osteoclast Formation in vitro", Frontiers in Physiology, 2018 <1 %

Publication

---

44 "Principles of Bone and Joint Research", Springer Science and Business Media LLC, 2017 **<1 %**  
Publication

---

45 Huong T. T. Nguyen, Bo von Schoultz, Tuan V. Nguyen, Trinh X. Thang, Tran T. Chau, Pham T. M. Duc, Angelica L. Hirschberg. "Sex hormone levels as determinants of bone mineral density and osteoporosis in Vietnamese women and men", Journal of Bone and Mineral Metabolism, 2014 **<1 %**  
Publication

---

46 Nurhadi Ibrahim, Julia Rahadian, Dewi F. Suniarti. "Acalypha indica Linn root extract improved hippocampal cell viability and increased brain-derived neurotrophic factor (BDNF) in hypoxic condition", Medical Journal of Indonesia, 2012 **<1 %**  
Publication

---

47 Junran Cao, Anu Rammohan. "Social capital and healthy ageing in Indonesia", BMC Public Health, 2016 **<1 %**  
Publication

---

48 Kety Nicopoulou-Karayianni. "Tooth loss and osteoporosis: the osteodent study", Journal Of Clinical Periodontology, 03/2009 **<1 %**  
Publication

---

49 "Bone Toxicology", Springer Science and Business Media LLC, 2017 <1 %  
Publication

---

50 A V Rudijono, A W Suhartono, Y H Midoen, C Talbot, E I Auerkari. "Association between IL-1RN VNTR polymorphism and head and neck cancer in Indonesian population", Journal of Physics: Conference Series, 2018 <1 %  
Publication

---

51 Weihong Lu, Silan Zheng, Jingqi Zhou, Shunfa Huang, Ning Chen, Zhibin Li. "Association of Plasma Sex-Related Hormones Levels with Bone Mineral Densities and Risk of Osteoporosis and Osteopenia in Men and Menopausal Women with Type 2 Diabetes Mellitus", Diabetes, Metabolic Syndrome and Obesity, 2023 <1 %  
Publication

---

52 Darcey, J., K. Horner, T. Walsh, H. Southern, E. J. Marjanovic, and H. Devlin. "Tooth loss and osteoporosis: to assess the association between osteoporosis status and tooth number", BDJ, 2013. <1 %  
Publication

---

53 Elodie Kara, Laurence Dupuy, Céline Bouillon, Sophie Casteret, Marie-Christine Maurel. "Modulation of Gonadotropins Activity by Antibodies", Frontiers in Endocrinology, 2019 <1 %

---

54 F Yaşar, F Akgünlü. "The differences in panoramic mandibular indices and fractal dimension between patients with and without spinal osteoporosis", *Dentomaxillofacial Radiology*, 2006 <1 %  
Publication

---

55 Xiaorong Wang, Feirong Xu, Yiren Xu, Yuning Pan, Xinzong Ruan. "Relationship Between vertebral endplate degeneration (Modic changes, Schmorl nodes, endplate irregularities) and Bone Mineral Density", *Interdisciplinary Neurosurgery*, 2023 <1 %  
Publication

---

56 "Hypothalamic-Pituitary Diseases", Springer Science and Business Media LLC, 2018 <1 %  
Publication

---

57 Abdulrahman Al-Ajlan, Soundararajan Krishnaswamy, Majed S. Alokail, Naji J. Aljohani et al. "Vitamin D deficiency and dyslipidemia in early pregnancy", *BMC Pregnancy and Childbirth*, 2015 <1 %  
Publication

---

58 Dung-Jang Tsai, Wen-Hui Fang, Li-Wei Wu, Ming-Cheng Tai et al. "The Polymorphism at PLCB4 Promoter (rs6086746) Changes the Binding Affinity of RUNX2 and Affects Osteoporosis Susceptibility: An Analysis of" <1 %

Bioinformatics-Based Case-Control Study and Functional Validation", Frontiers in Endocrinology, 2021

Publication

---

59 Park, Eun-Jin, David-Hyungjin Kim, and Eun-Suk Kim. "Evaluation of alveolar bone density by intraoral periapical radiography", The Journal of Korean Academy of Prosthodontics, 2014. <1 %

Publication

---

60 Talitha Tiffany Alwadris, Listyowati Listyowati, Antonius Winoto Suhartono, Lindawati Soetanto Kusdhany, Elza Ibrahim Auerkari. "TNF- $\alpha$  G-308A polymorphism in post-menopausal women with osteoporosis", Journal of Stomatology, 2020 <1 %

Publication

---

61 Teun M. Post. "Bone Physiology, Disease and Treatment : Towards Disease System Analysis in Osteoporosis", Clinical Pharmacokinetics, 02/2010 <1 %

Publication

---

62 Alkhansa S. Mahmoud, Mohammed A. Abdulrahman, Khalid H. Bakheit. "Insulin, estradiol levels and body mass index in pre- and post-menopausal women with breast cancer", Journal of Radiation Research and Applied Sciences, 2015 <1 %

Publication

---

63 Francescaromana Festuccia, Maryam Tayefeh Jafari, Alessandra Moioli, Claudia Fofi et al. "Safety and efficacy of denosumab in osteoporotic hemodialysed patients", *Journal of Nephrology*, 2016 <1 %  
Publication

---

64 Jun Hou, Yuemei Cui, Haiping Mao, Ming Rong. "The Effect of Different Traditional Chinese Exercises on Bone Mineral Density in Menopausal Women: A Systematic Review and Network Meta-Analysis", *Research Square Platform LLC*, 2023 <1 %  
Publication

---

65 Sengul Tural, Gamze Alayli, Nurten Kara, Berna Tander, Ayhan Bilgici, Omer Kuru. "Association between osteoporosis and polymorphisms of the IL-10 and TGF-beta genes in Turkish postmenopausal women", *Human Immunology*, 2013 <1 %  
Publication

---

66 "European Congress on Osteoporosis & Osteoarthritis (IOF-ECCEO12)", *Osteoporosis International*, 2012 <1 %  
Publication

---

67 "OPENING LECTURE", *Gynecological Endocrinology*, 2009 <1 %  
Publication

---

68 "Osteoporosis in Older Persons", Springer Science and Business Media LLC, 2016 Publication <1 %

69 F.X. Andi Wiyanto, Sri Lelyati C. Masulili, Elza Ibrahim Auerkari, Fatimah Maria Tadjoedin. "The relationship between interleukin-18 level in smokers and chronic periodontitis: radiographic overview of posterior mandibular teeth", Journal of Stomatology, 2018 Publication <1 %

70 Graziamaria Corbi, Vincenzo Nobile, Valeria Conti, Alessandro Cannavo et al. "Equol and Resveratrol Improve Bone Turnover Biomarkers in Postmenopausal Women: A Clinical Trial", International Journal of Molecular Sciences, 2023 Publication <1 %

71 Ines Augustina Sumbayak, Sri Lelyati C. Masulili, Fatimah Maria Tadjoedin, Benso Sulijaya et al. "Changes in Interleukin-1 $\beta$ , Tumor Necrosis Factor- $\alpha$ , and Interleukin-10 Cytokines in Older People with Periodontitis", Geriatrics, 2023 Publication <1 %

72 Jonasson, G.. "Estimation of skeletal bone mineral density by means of the trabecular pattern of the alveolar bone, its interdental thickness, and the bone mass of the <1 %

mandible", Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology, 200109

Publication

---

73 M. L. Gourlay, J. S. Preisser, C. A. Hammett-Stabler, J. B. Renner, J. Rubin. "Follicle-stimulating hormone and bioavailable estradiol are less important than weight and race in determining bone density in younger postmenopausal women", Osteoporosis International, 2010 <1 %

Publication

---

74 Sashidhara, Koneni V., Ram K. Modukuri, Dharmendra Choudhary, K. Bhaskara Rao, Manoj Kumar, Vikram Khedgikar, and Ritu Trivedi. "Synthesis and evaluation of new coumarin-pyridine hybrids with promising anti-osteoporotic activities", European Journal of Medicinal Chemistry, 2013. <1 %

Publication

---

75 Al-Daghri, Nasser M., Khalid M. Alkharfy, Abdulaziz Al-Othman, Sobhy M. Yakout, Yousef Al-Saleh, Mona A. Fouada, Riad Sulimani, and Shaun Sabico. "Effect of Gender, Season, and Vitamin D Status on Bone Biochemical Markers in Saudi Diabetes Patients", Molecules, 2012. <1 %

Publication

---

76

"Free Communication Sessions 01-20 and Poster Sessions 01-16", International Dental Journal, 2015.

Publication

<1 %

77

Ling-Ling E, Wen-Huan Xu, Lin Feng, Yi Liu, Dong-Qing Cai, Ning Wen, Wen-Jie Zheng. "Estrogen enhances the bone regeneration potential of periodontal ligament stem cells derived from osteoporotic rats and seeded on nano-hydroxyapatite/collagen/poly(L-lactide)", International Journal of Molecular Medicine, 2016

Publication

<1 %

78

Postic, Srdjan, Nada Vujasinovic-Stupar, Mithat Asotic, and Zoran Rakocevic. "Systemic non-malignant osteoporosis and reduction of edentulous alveolar ridges", SANAMED, 2014.

Publication

<1 %

Exclude quotes

Off

Exclude matches

Off

Exclude bibliography

Off